




TRACKING PLATFORMS



Versatility

Simple yet very strong platforms are available with wheelbases that match those of the most commonly used dollies.

All the platforms have wide side-openings allowing for strong attachments directly to the frame.

- > For optimum stability the wheel docking is incorporated into the platform which lowers the centre of gravity to the lowest point possible on the dolly.
- > The accurate alignment of the wheels avoid any vibration problems during movement.
- > All the dollies are fitted with four push-bar fixings. (Fig.1)
- > The push-bars are stored in the frame during transport. (Fig.2)
- > The push bar can also be used as handles for moving the frame. (Fig.3)
- > For greater precision in controlling movement, the larger dollies are fitted with two push-bars mounted side-by-side. (Fig.4)




Fig.1




Fig.2




Fig.3





Fig.4



KEY GRIP SYSTEMS
Development

TRACKING PLATFORMS


1 st. platform



length x width

620 x 320 (24 1/2" x 12 39/32")


2 d. platform



length x width

800 x 320 (31 1/2" x 12 39/32")


3 rd. platform



length x width

800 x 407 (31 1/2" x 16")


4 th. platform



length x width

800 x 620 (31 1/2" x 24 1/2")


5 th. platform



length x width

880 x 620 (34 39/64" x 24 1/2")

Y Wheels



Straight Standard

Curve Sliding

Versatility table length / width

	Monotrack 12 39/64"	Monotrack 19"	Track/Monotrack 24 1/2" (Standard)	Monotrack 31 1/2"	Track/Monotrack 34 41/64"
1 st. platform 12 39/64" x 24 1/2"					
2 d. platform 12 39/64" x 31 1/2"					
3 rd. platform 16" x 31 1/2"					
4 th. platform 24 1/2" x 31 1/2"					
5 th. platform 24 1/2" x 31 1/2"					


Hi Hats KGS Development



KEY GRIP SYSTEMS
Development


PLATEAUX TRAVELLING

1^{er} Plateau



Longueur x Largeur
620 x 320

2^{ème} Plateau




Longueur x Largeur
800 x 320

3^{ème} Plateau




Longueur x Largeur
800 x 407

4^{ème} Plateau




Longueur x Largeur
800 x 620

5^{ème} Plateau



Longueur x Largeur
880 x 620

Roues Y



Standard
Combinées

Tableau des polyvalences - longueurs et largeurs

